

SMART SOLUTION

202l Europe



CONTENTS

01/Smart System

Smart System

03/ Smart Lighting Bulb

Smart Lighting Bulb
Smart Lamp Holders

01-06

05/ Smart Lighting For Commercial

21-23 Smart Strip Belt 36
24 Smart Fixtures 37
Smart Office Downlights 38-39

02/ Smart Control

Smart Control & Sensors 07-15

Dimmer Switch & Outlets 16-18

Adaptor & Extension Cord 19-20

04/ Smart Lighting For Home


Smart Ceiling Lights

25-35

06/ Smart Lighting For Outdoor

Smart LED Wall Lamps 40-43 Smart Lawn Lamps 44-47 Smart Floodlights 48-49


Smart Lighting



Smart lighting

Smart lighting solutions which give you full control, via your smart device, of the on/off, dimming and scene setting of the environment, its ease of use, simple installation and scalability makes Yourlite perfect for an endless list of applications.

YUSING | Smart System



Multi Communication Mode Module

Professional intelligent enabling lighting products




- · Remote control through router without gateway.
- · Low user threshold, simple operation.
- · Various types of products can be interconnected.
- · OTA upgrade flexible.



- · The system is mature, stable and reliable.
- · Gateway can realize local linkage.
- \cdot The number of connected devices is large and the distance is far.
- · It can be upgraded by OTA.



- \cdot Mobile direct connection and gateway connection are optional.
- · It has the lowest cost and great advantage.
- · It is suitable for independent small system without network.



- · Mobile direct connection and gateway connection are optional.
- · Many-to-many device communication can be realized, which helps build a large-scale device network that requires tens or hundreds of nodes.
- · It is suitable for independent small system without network.

Our Technology

- · Using existing modules to develop products.
- Using blank module, independent firmware seconary devel opment, realize the difference between function and APP.
- · Realize chip board technology and reduce cost.
- · Chip independent procurement, docking cloud services, software code autonomy.

5 Networking module available







Zigbee

Wifi & Bluetooth



Wifi

Bluetooth

Bluetooth Mesh

Connect Instruction

1. Switch three times to ensure the flashing state of the light source.




2.Open TUYA APP and click the plus sign in the upper right corner.



3. Select lighting to connect applications.



4.Connect light bulbs only via WiFi for the first time, please make sure that the light is quickly flashing, and WiFi password you inputted is correct.



5.After the device is connected successfully, tap "Devices" at the bottom. The device name of the smart lamp shows in the list. Tap it to enter the control panel of the smart lamp.





YUSING Smart System



Gentle



Dazzling



Colorful



Magic



Ocean



Sunrise



Sunset



Music

Joy starts from the moment


Gently Nature light creates a relaxed and cheerful atmosphere.

Nothing gives you a better life than a special light at night.

4 colors / Support for DIY customization / Music rhythm function.



Color temperature adjustment enjoy the warm life of light




Spring (Neutral) Color temperature.

Neutral bright white light, feel the breath of spring germination.




Summer (Cool) Color temperature. Cold white light is like a refreshing breeze when you open the freezer.



Autumn (Neutral) Color temperature. Slightly warm sunlight is like the joy of autumn harvest.



Winter (Warm) Color temperature. Golden light exudes the warmth of a fireplace in winter.



YUSING | Smart System

Biological law return to nature's ecological light environment









Sharing the joy of technology Warming up the home enviornment





Security Automation


Home lights flashes red to alarm, while camera captures human activities.





Scene Automation

Turn on the light when sensor detects a person passing by, turn off the light after 30 seconds automatically.



zigbee Bluetooth°

- TUYA smart ZigBee/Bluetooth gateway;
- DC5V 1A;
- Size: 60*60*16mm;
- Net weight: 50g;
- Operating temperature: 20-60 °C; Operating humidity: 5% 90% RH;
 Red and blue indicator lights (blue light means Bluetooth, red light means WiFi).

Smart Gateway				
Item No.	Туре	Color	Adapter output	Size
Smart-WG100-ZGB Smart-WG100-BL	ZigBee Bluetooth	White White	DC 5V 1A DC 5V 1A	60*60*16mm 60*60*16mm









- Tuya WiFi light sensor;Input voltage 12V;Sensing Range: 1~1000lux;
- It can be linked with intelligent lighting products;
 Size: 58*33*16mm.

Illumination Sensor					
Item No. Type		Color	Input Voltage	Size	
Smart-SAL001-E	Wifi	White	12V	58*33*16mm	







- Communication protocol: WiFi (only supports 2.4G, not 5G);
- · Detection range: 360°;
- Power supply: 110-130Vac, 220-240Vac;
- Rated load: Max 1000 W (110 130 Vac); 2000 w (220 240 Vac);
- Detection distance: Max 8m (< 24 °C);
- Time delay: $10\sec \pm 3\sec \sim 30\min \pm 2\min \text{ (adjustable)};$
- Ambient light: < 3-2000lux (adjustable);



Smart strong electric infrared motion sensor

Item No.: Smart-RT6006-WF-GW Detection Angle: 360° Detection Distance: MAX.8m

Material: PC

APP: Support IOS and Android

Ambient Light: <3-2000LUX (adjustable)

Time Delay: 10sec±3sec to 30min±2min(adjustable)

Power Source: 110-130V/AC 220-240V/AC Rated Load: Max.1000W (110-130V/AC)

2000W (220-240V/AC)



Smart strong electric infrared motion sensor

Item No.: Smart--RT6007-WF-GW

Detection Angle: 360°

Detection Distance: MAX.8m

Material: PC

APP: Support IOS and Android

Ambient Light: <3-2000LUX (adjustable)

Time Delay: 10sec±3sec to 30min±2min(adjustable)

Power Source: 110-130V/AC 220-240V/AC

Rated Load: Max.1000W (110-130V/AC)

2000W (220-240V/AC)









- Communication protocol: WiFi (only support 2.4G, not 5g) or ZigBee;
- · Double induction probe;
- · Installation angle: any angle;
- Water leakage reminder: alarm + APP reminder;
 It has the function of battery low voltage reminder: local reminder + APP reminder;
- · Alarm DB: 90dB@3 inch;
- Battery: 3 × AAA batteries, DC4.5V, for about 24 months;
- Material: Polycarbonate.

Water Flood Sensor				
Item No.	Туре	Color	Alarm dB	Size
Smart-SQ5001-WF	Wifi	White	90dB	90*30mm
Smart-SQ5001-ZGB	ZigBee	White	90dB	90*30mm







- Communication protocol: WiFi (only support 2.4G, not 5G);
- The effective sensing distance between product main body and accessories is about 1.27cm;
- Installation angle: the main body and accessories are installed on the same horizontal plane and can be fixed with 3M glue;
- Intrusion reminder: APP reminder (no sound and light reminder);
- With battery low voltage reminder function: APP reminder (no sound and light reminder) ;
- Battery: 2 × AAA batteries, DC4.5v, for about 12 months;
- The normal standby time is more than 12 months;
- Material: Polycarbonate.

Magnetic Door/Window Sensor					
Item No.	Туре	Battery	Sensing Distance	Size	
Smart-MC8007-WF	Wifi	2 × 3A, DC4.5v	About 1.27cm	80*29*21mm	
				46*14*15mm	









- Communication protocol: ZigBee;
 The effective sensing distance between product main body and accessories is about 1.27cm~2.54cm;
 Installation angle: the main body and accessories are installed on the same horizontal plane and can be fixed with 3M glue;
- Intrusion reminder: APP reminder (no sound and light reminder);
- With battery low voltage reminder function: APP reminder (no sound and light reminder) ;
- Battery: 1×CR2032, DC3V;
- The normal standby time is more than 12 months;
- Material: Polycarbonate.

Magnetic Door/Window Sensor						
Item No. Type Battery Sensing Distance Size						
Smart-MC8001-ZGB	ZigBee	1×CR2032, DC3V	About 1.27cm~2.54cm	56*28*14mm 38*14*11mm		







Zigbee

- Communication protocol: WIFI or ZigBee; Temperature display accuracy: 0.1 ℃;
- · Humidity measurement range: 0-99% RH, resolution 1% RH;
- Installation mode: placed at any angle;
- LCD screen: temperature, humidity, electricity display, comfort display;
- The normal standby time is more than 12 months;
- Battery: 1×CR2032, DC3V;
- The normal standby time is more than 12 months;
- Material: Polycarbonate.

Temperature and Humidity Sensor						
Item No.	Туре	Battery	Humidity Measurement	Size		
Smart-WSD7001-7GB	ZiaRoo	1×CR2032 DC3V	0-00%RH	45*45*13mm		









- · Communication protocol: WIFI;
- Temperature display accuracy: 0.1 °C;
- Humidity measurement range: 0-99% RH, resolution 1% RH;
- Installation mode: placed at any angle;
- LCD screen: temperature, humidity, electricity display, comfort display;
- Battery: 2×AAA batteries, DC3V;
- The normal standby time is more than 12 months;
 Material: Polycarbonate.

Temperature and Humidity Sensor					
Item No.	Type	Battery	Humidity Measurement	Size	
Smart-WSD7002-WF	Wifi	2×3A , DC3V	0-99%RH	45*45*13mm	
















- Function: TUYA smart WiFi / ZigBee; Size: 37.15*13.45*130.2mm;
- · Weight: 31g;
- Material: ABS, PC + 15% titanium dioxide, silicone, SUS304, titanium steel;
- Working voltage: 2.3V ~ 3.1V (2 x AAA batteries);
- Warranty: 2 years;
- Key working life: 10000 times; Working temperature: 20 °C ~ 55 °C;
- Working humidity: $65\% \pm 20\%$ RH.

Remote Control	Remote Control					
Item No.	Туре	Color	Key Lifetime	Size		
Smart-OTR7201-WF Smart-OTR7201-ZGB	Wifi ZigBee	White/Black White/Black	10000 10000	37.2×3.5×130.2mm 37.2×3.5×130.2mm		









zigbee

- Control by APP without touching.
- Works with Amazon Alexa, Google Home, you can control your switch by hands-free.
- The switch adopts the toughened glass manufacturing, make the switch much more modern and the hardness is further strengthened, so as to completely prevent scratching and fire.
- Timing, count-down function, can be allowed to DIY your own on-off style.
- · Soft light LED indicator light, easy to turn on at night.
- · Stable and durable touch performance, touch life of more than 100000 times.







1 gang 2 gang 3 gang

Smart Touch Switch

Item No.: Smart-WSG01 Voltage: AC100-240V Color: White/Black

Wattage: MAX1000W

Material: Flame Retardant PC+Toughened Glass Size: 86*86*36mm














zigbee Wi (Fi)

- Control by APP without touching.
- Works with Amazon Alexa, Google Home, you can control your switch by hands-free.
- · Make sure your smart light always on-line.
- Comfortable feel pass it to your fingertips.



- Timing, count-down function, can be allowed to DIY your own on-off style.
- Soft light LED indicator light, easy to turn on at night.
- · Stable and durable touch performance, touch life of more than 100000 times.

Resilient Smart Wall Switch

Item No.: Smart-WSG04 Voltage: AC220-240V Color: White

Wattage: MAX1000W Material: PC Size: 86*86*41mm















- The installation is fast and convenient, which reduces the noise and dust pollution during installation.
- It can match any number of combinations within 20, add switches and so on, and it doesn't need to rectify the circuit. It can be used after pairing, bringing a lot of fun and convenience to life.
- The switch does not need to be equipped with batteries, and has a built-in micro energy kinetic energy acquisition module, with a service life of 5-10 years.
- The switch installation does not need wiring to the switch, and it is controlled by 433MHz RF, which saves a lot of time for wall cutting and pipe laying and material cost
- · No need to install on the wall.
- IPX5



2 gang 3 gang

Wireless Kinetic Energy Switch

Item No.: Smart-WSG02 Work Type: Reset Switch Working Frequency: 433MHz

Transmit Power: +110dbm

Material: PC

Lifetime: 100000 times

Power Mode: Self Generating

Distance: 30m (indoor), 100m (outdoor)

Controller Voltage: AC100-240V


Color: White/Support customer customization

Controller Size: 60*32*23mm

Size: 86*86*13.9mm







- The smart socket combined with APP can more easily manage the useful equipment in the home. The remote control function can conveniently switch on and off the electrical equipment in the home. It has timing and countdown functions, which can make the home appliances automatically turn on or off.
- Four USB charging ports, smart chip automatically distributes power, supporting mobile phone and flat panel fast charging.
- Through intelligent voice speaker, voice control socket switch can be realized without hands.
- The safety protection door can avoid the electric shock hazard caused by the insertion of fingers or small objects. • Support 2.4A fast charging.
- Support over-current and overload protection.
- Non slip foot pad, can be placed on any desktop.
- · Soft light design of indicator light, gentle guidance at night, no interruption when falling asleep.











Voltage: AC100-240V Max Current: 10A

Color: White

Wire Size: 0.75mm²/1mm²/1.5mm²

Max Power: 2400W

USB Output: USB 5V/2.4A*4

Material: PC+ABS

Line Length: 1.5m/1.8m/3m

w <u>T</u>	= 0000
н <u>‡</u>	


USB Socket	USB Socket					
Item No.	Type	Size				
Smart-SFG01-4H	German	335*65*41mm				
Smart-SFF01-4H	French	335*65*41mm				
Smart-SFE02-4H	British	428*62.3*32.8mm				











Wi (Fi)

- Intelligent plug is combined with APP, it has timing and countdown function, remote control function can easily switch home electrical equipment.
- One key switch, no need to plug.
- · Works with Amazon Alexa, Google Home via your home WiFi to operate your device, you can control your switch by hands-free.
- Support to check the power consumption report in APP and accurately grasp the electricity consumption.
- The safety protection door can avoid the risk of electric shock caused by the insertion of fingers or small objects.
- Support over-current and overload protection. Soft lighting design of indicator light.



WIFI Plug · British

Item No.: Smart-PFW02-E Max Power: 2990W Voltage: AC100-240V Material: PC Max Current: 13A Size: 57*57*61mm



WIFI Plug · Australian

Item No.: Smart-PFW10-A Voltage: AC110-240V Max Current: 10A USB: 5V/2.4A

Max Power: 2400W Material: PC Size: 85*45.6*50.2mm



WIFI Plug · Australian

Item No.: Smart-PFW03-A Max Power: 2400W Voltage: AC110-240V Material: PC Max Current: 10A Size: 53.6*45.6*50.2mm



WIFI Plug · German

Item No.: Smart-PFW02-G Max Power: 3680W Voltage: AC100-240V Material: PC Max Current: 16A Size: 55*55*78mm



WIFI Plug · German

Item No.: Smart-PFW04-G Max Power: 3680W Voltage: AC100-240V Material: PC+ABS Max Current: 16A Size: 52*52*83mm



WIFI Plug · French

Item No.: Smart-PFW02-F Max Power: 3680W Voltage: AC100-240V Material: PC Max Current: 16A Size: 55*55*78mm



WIFI Plug · French

Item No.: Smart-PFW04-F Voltage: AC100-240V Max Current: 16A

Max Power: 3680W Material: PC+ABS Size: 52*52*80mm









CE NoHS ETP ♠ RED





- Full spectrum, Ra>95, presenting real colours
- RGB+CCT+DIM, Multi scene selection, DIY your own ambience
- Smart control, works with Amazon Alexa, Goole Home

Voltage: 220-240V Material: PC Life time: 30000h Ra: \geq 95 LED Chip: SMD2835 Angle: 220°

LED Full Spectrum Bulb · RGB+CCT+DIM · A60				
Item No.	Туре	Wattage	Lumen	Size
Smart-LB101FSWF5	Wifi+Bluetooth	8.5W	800lm	Ø60*118mm













- RGB+CCT+DIM You can change not only the color and color temperatue, but aslo the brightness and contrast steplessly and smoothly
- Multi scene selection The light can be characterized with 4 scenarios with different lighting modes, aslo can be allowed to DIY your favorite lighting style
- Smart control Works with Amazon Alexa, Google Home via your home WiFi to operate your device, you can control your light by hands-free
- Quality Comform to CE/ROHS/RED and the new ERP2.0 standard, which make the light more energy-saving and more brighter

Voltage: 220-240V Material: PC Life time: 30000h Ra: ≥80 LED Chip: SMD2835 PF > 0.5



LED Bulb · RGB+CCT+DIM · A60					
Item No.	Wattage	Lumen	Beam angle	Size	
Smart-LB101WF5	7.5W	806lm	220°	Ø60*118mm	
Smart-LB101WF5	9W	820lm	220°	Ø60*118mm	
Smart-LB101WF5	11W	1050lm	220°	Ø65*131mm	
Smart-LB101WF5	15W	1350lm	220°	Ø65*131mm	



•	LED Bulb · RGB+CCT+DIM · C37						
	Item No.	Wattage	Lumen	Beam angle	Size		
	Smart-LB201WF5	5.5W	430lm	180°	Ø37*100mm		



LED Bulb · RGB+CCT+DIM · G45							
Item No.	Wattage	Lumen	Beam angle	Size			
Smart-LB301WF5	5.5W	430lm	180°	Ø45*80mm			





LED Halogen Bu				
Item No.	Wattage	Lumen	Beam angle	Size
Smart-LC201WF5	5.5W	400lm	120°	Ø50*56mn
Smart-LC201WF5	5.5W	500lm	120°	Ø50*67mn
Smart-LC221WF2	5.5W	400lm	38°	Ø50*56mn



	LED Bulb · RGB+CCT+DIM · G95/120							
)	Item No.	Wattage	Lumen	Beam angle	Size			
	Smart-LB321WF5	9W	820lm	270°	Ø95*142mm			
	Smart-LB321WF5	13W	1250lm	270°	Ø95*142mm			
	Smart-LB331WF5	15W	1521lm	270°	Ø120*187mm			









Wifi *Bluetooth* Mesh IR



- RGB+CCT+DIM You can change not only the color and color temperatue, but aslo the brightness and contrast steplessly and
- Multi scene selection The light can be characterized with 4 scenarios with different lighting modes, aslo can be allowed to DIY your favorite
- Smart control Works with Amazon Alexa, Google Home via your home WiFi to operate your device, you can control your light by hands-free
- Quality Comform to CE/ROHS and the new ERP2.0 standard, which make the light more energy-saving and more brighter
- Remote control Equipped with infrared remote control

Specifications

Voltage: 220-240V Material: PC Life time: 30000h Ra: ≥80 LED Chip: SMD2835 PF>0.5



Ī	LED Bulb ⋅ RGB+0				
	Item No.	Wattage	Lumen	Beam angle	Size
	Smart-LB101IRWF5	9W	820lm	220°	Ø60*118mr
	Smart-LB101IRWF5	11W	1050lm	220°	Ø65*131mr
	Smart-LB101IRWF5	15W	1350lm	220°	Ø65*131mr



LED Bulb · RGB+CCT+DIM · C37							
Item No.	Wattage	Lumen	Beam angle	Size			
Smart-LB201IRWF5	5W	400lm	180°	Ø37*100mr			



LED Bulb · RGB+CCT+DIM · G45								
Item No.	Wattage	Lumen	Beam angle	Size				
Smart-LB301IRWF5	5W	400lm	180°	Ø45*80mm				











LED Halogen Bulb · RGB+CCT+DIM · GU10							
	Item No.	Wattage	Lumen	Beam angle	Size		
	Smart-LC201IRWF5	5W	400lm	120°	Ø50*56mm		



	LED Bulb · RGB+CCT+DIM · G95/120							
)	Item No.	Wattage	Lumen	Beam angle	Size			
	Smart-LB321IRWF5	9W	820lm	270°	Ø95*142mm			





The lamp cap can be installed and used without wiring.

Replaceable bulb, compatible with all kinds of energy saving lamps, LED lamps, incandescent lamps and other E27 bulbs.

Support app setting timing, automatic light off.

Intelligent plug is combined with APP, it has timing and countdown function, remote control function can easily switch home electrical equipment.

One key switch, no need to plug.

Through intelligent voice speaker, voice control switch can be realized without hands.

Smart Lamp Holders

Item No.: Smart-LDZWF-W

Wattage: 100W

Material: PC

Size: Ø53*75mm

Voltage: 100-240V Mode: WIFI2.4G/Bluetooth

Base: E27
















- **CCT+DIM-** You can change not only the color temperatue, but aslo the brightness and contrast steplessly and smoothly.
- Multi scene selection The light can be characterized with 4 scenarios with different lighting modes, aslo can be allowed to DIY your favorite lighting style.
- Smart control- Works with Amazon Alexa, Google Home via your home WiFi to operate your device, you can control your light by hands-free.
- **Quality-** Comform to new ERP2.0 standard, which make the light more energy-saving and more brighter.
- Garantee- 2years.





Voltage: 220V Material: PMMA+Iron Life time: 25000h Ra: \geq 80 LED Chip: SMD2835 DF: >0.7



Ceiling Lights · CCT · DIM				
Item No.	Туре	Wattage	Lumen	Size
Smart-CE2017C-12W2-WFC	Wifi	12W	840lm	Ø260*60mm
Smart-CE2017C-18W2-WFC	Wifi	18W	1260lm	Ø330*60mm
Smart-CE2017C-24W2-WFC	Wifi	24W	1680lm	Ø380*60mm









- CCT+DIM- You can change not only the color temperatue, but aslo the brightness and contrast steplessly and smoothly.
- Multi scene selection- The light can be characterized with 4 scenarios with different lighting modes, aslo can be allowed to DIY your favorite lighting style.
- Smart control- Works with Amazon Alexa, Google Home via your home WiFi to operate your device, you can control your light by hands-free.
- Quality- Comform to new ERP2.0 standard, which make the light more energy-saving and more brighter.
- Garantee- 2years.



Voltage: 220V	Material: PMMA+Iron
Life time: 25000h	Ra: ≥80
LED Chip: SMD2835	DF: >0.7



Ceiling Lights · CCT · DIM						
Item No.	Туре	Wattage	Lumen	Size		
Smart-CE2007C-12W2-WFC	Wifi	12W	840lm	Ø260*60mm		
Smart-CE2007C-18W2-WFC	Wifi	18W	1260lm	Ø330*60mm		
Smart-CE2007C-24W2-WFC	Wifi	24W	1680lm	Ø380*60mm		











Voltage: 220V	Material: PMMA+Iron
Life time: 25000h	Ra: ≥80
LED Chip: SMD2835	DF: >0.7




Ceiling Lights · RGB · CCT · [DIM			
Item No.	Туре	Wattage	Lumen	Size
Smart-CE2007C-12W2-WFR	Wifi	12W	840lm	Ø260*60mm
Smart-CE2007C-18W2-WFR	Wifi	18W	1260lm	Ø330*60mm
Smart-CE2007C-24W2-WFR	Wifi	24W	1680lm	Ø380*60mm
Smart-CE2007C-36W2-WFR	Wifi	36W	2520lm	Ø480*70mm



www.yusinglight.com YUSING

WiFi


- RGB+CCT+DIM- You can change not only the color and color temperatue, but aslo the brightness and contrast steplessly and smoothly.
- Multi scene selection- The light can be characterized with 4 scenarios with different lighting modes, aslo can be allowed to DIY your favorite lighting style.
- Smart control- Works with Amazon Alexa, Google Home via your home WiFi to operate your device, you can control your light by hands-free.
- Quality Comform to CE/ROHS and the new ERP2.0 standard, which make the light more energy-saving and more brighter.
- Music Mode- Changeable with music.
- Garantee- 2years.






- CCT+DIM- You can change not only the color temperatue, but aslo the brightness and contrast steplessly and smoothly.
- Multi scene selection- The light can be characterized with 4 scenarios with different lighting modes, aslo can be allowed to DIY your favorite lighting style.
- Smart control- Works with Amazon Alexa, Google Home via your home WiFi to operate your device, you can control your light by hands-free.
- IP54 waterproof & IK08 impact resistance- It can used in the bathroom directly.
- Quality- Comform to CE/ROHS and the new ERP2.0 standard, which make the light more energy-saving and more brighter.
- Music Mode- Changeable with music.
- Garantee- 2years.






Voltage: 220V Material: PC+PC Life time: 25000h Ra: ≥80 LED Chip: SMD2835 PF: >0.9




Ceiling Lights · CCT · DIM				
Item No.	Type	Wattage	Lumen	Size
Smart-CE2003CC-15W2-WFC	Wifi	15W	1350lm	Ø220*50mm
Smart-CE2003CC-18W2-WFC	Wifi	18W	1530lm	Ø280*50mm
Smart-CE2003CC-24W2-WFC	Wifi	24W	2000lm	Ø330*50mm
Ceiling Lights · CCT · DIM				
Ceiling Lights · CCT · DIM Item No.	Туре	Wattage	Lumen	Size
5 5	Type Wifi	Wattage 15W	Lumen 1350lm	Size 220*220*50mm
Item No.				






- RGB+CCT+DIM- You can change not only the color and color temperatue, but aslo the brightness and contrast steplessly and smoothly.
- Multi scene selection- The light can be characterized with 4 scenarios with different lighting modes, aslo can be allowed to DIY your favorite lighting style.
- Smart control- Works with Amazon Alexa, Google Home via your home WiFi to operate your device, you can control your light by hands-free.
- IP54 waterproof & IK08 impact resistance- It can used in the bathroom directly.
- Easy installation- Snap-in type which means easy installation by snap locking the two ends together.
- **Quality-** Comform to CE/ROHS and the new ERP2.0 standard, which make the light more energy-saving and more brighter.
- Music Mode- Changeable with music.
- Better design- Thick and solid design, giving it a higher-quality feel.
- Garantee- 2years.



Voltage: 220VMaterial: PC+PCLife time: 25000hRa: ≥80LED Chip: SMD2835PF: >0.9



Ceiling Lights · RGB · CCT · D	IM			
Item No.	Туре	Wattage	Lumen	Size
Smart-CE2003CC-15W2-WFR Smart-CE2003CC-18W2-WFR Smart-CE2003CC-24W2-WFR	Wifi Wifi Wifi	15W 18W 24W	1350lm 1530lm 2000lm	Ø220*50mm Ø280*50mm Ø330*50mm
Ceiling Lights · RGB · CCT · D	IM			
Ceiling Lights · RGB · CCT · D Item No.	IM Type	Wattage	Lumen	Size





- CCT+DIM- You can change not only the color temperatue, but aslo the brightness and contrast steplessly and smoothly.
- Multi scene selection- The light can be characterized with 4 scenarios with different lighting modes, aslo can be allowed to DIY your favorite lighting style.
- Smart control- Works with Amazon Alexa, Google Home via your home WiFi to operate your device, you can control your light by hands-free.
- Easy installation- Snap-in type which means easy installation by snap locking the two ends together.
- IP54 waterproof & IK08 impact resistance- It can used in the bathroom directly.
- **Quality-** Comform to CE/ROHS and the new ERP2.0 standard, which make the light more energy-saving and more brighter.
- Music Mode- Changeable with music.
- **Better design-** Thick and solid design, giving it a higher-quality feel.
- Garantee- 2years.





Voltage: 220V	Material: PC+PC
Life time: 25000h	Ra: ≥80
LED Chip: SMD2835	PF: >0.9



Ceiling Lights · CCT · DIM				
Item No.	Туре	Wattage	Lumen	Size
Smart-CE3030C-18W2-WFC	Wifi	18W	1620lm	Ø280*60mm
Smart-CE3030C-24W2-WFC	Wifi	24W	2160lm	Ø280*60mm
Smart-CE3030C-30W2-WFC	Wifi	30W	2700lm	Ø330*60mm
Smart-CE3030C-36W2-WFC	Wifi	36W	3240lm	Ø330*60mm











- **CCT+DIM-** You can change not only the color temperatue, but aslo the brightness and contrast steplessly and smoothly.
- Multi scene selection-The light can be characterized with 4 scenarios with different lighting modes, aslo can be allowed to DIY your favorite lighting style.
- Smart control- Works with Amazon Alexa, Google Home via your home WiFi to operate your device, you can control your light by hands-free.
- Quality- Comform to CE/ROHS and the new ERP2.0 standard, which make the light more energy-saving and more brighter.
- Music Mode- Changeable with music.
- **Nice lampshade-** Several good-looking choice of lampshades.
 - Garantee- 2years.



 Voltage: 220V
 Material: PMMA+Iron

 Life time: 25000h
 Ra: ≥80

 LED Chip: SMD2835
 PF: >0.9



Ceiling Lights · CCT · DIM				
Item No.	Туре	Wattage	Lumen	Size
Smart-CE2302C-36W2-WFC	Wifi	36W	2160lm	Ø430*80mm
Smart-CE2302C-60W2-WFC	Wifi	60W	3600lm	Ø560*80mm









Wi Fi

- **CCT+DIM-** You can change not only the color temperatue, but aslo the brightness and contrast steplessly and smoothly.
- Multi scene selection-The light can be characterized with 4 scenarios with different lighting modes, aslo can be allowed to DIY your favorite lighting style.
- Smart control- Works with Amazon Alexa, Google Home via your home WiFi to operate your device, you can control your light by hands-free.
- **Quality-** Comform to CE/ROHS and the new ERP2.0 standard, which make the light more energy-saving and more brighter.
- Music Mode- Changeable with music.
- Nice lampshade- Several good-looking choice of lampshades.
- Garantee- 2years.

Specifications

Voltage: 220V Material: PMMA+Iron Life time: 25000h Ra: \geq 80 LED Chip: SMD2835 PF: >0.9



Ceiling Lights · CCT · DIM				
Item No.	Туре	Wattage	Lumen	Size
Smart-CE1037C-36W2-WFC	Wifi	36W	2160lm	Ø380*100mm
Smart-CE1037C-60W2-WFC	Wifi	60W	3600lm	Ø480*105mm





- steplessly and smoothly.
- Multi scene selection-The light can be characterized Music Mode- Changeable with music. with 4 scenarios with different lighting modes, aslo can be allowed to DIY your favorite lighting style.
- Smart control- Works with Amazon Alexa, Google Home via your home WiFi to operate your device, you can control your light by hands-free.
- CCT+DIM- You can change not only the color Quality- Comform to CE/ROHS and the new ERP2.0 temperatue, but aslo the brightness and contrast standard, which make the light more energy-saving and more brighter.

 - Nice lampshade- Several good-looking choice of lampshades.
 - Garantee- 2years.





Voltage: 220V Material: PMMA+Iron Life time: 25000h Ra: ≥80 LED Chip: SMD2835 PF: >0.9




Ceiling Lights · CCT · DIM					
Item No.	Туре	Wattage	Lumen	Size	
Smart-CE2231C-36W2-WFC	Wifi	36W	2160lm	Ø400*90mm	
Smart-CE2231C-60W2-WFC	Wifi	60W	3600lm	Ø500*90mm	















- **CCT+DIM-** You can change not only the color temperatue, but aslo the brightness and contrast steplessly and smoothly.
- Multi scene selection-The light can be characterized with 4 scenarios with different lighting modes, aslo can be allowed to DIY your favorite lighting style.
- Smart control- Works with Amazon Alexa, Google Home via your home WiFi to operate your device, you can control your light by hands-free.
- **Quality-** Comform to CE/ROHS and the new ERP2.0 standard, which make the light more energy-saving and more brighter.
- Music Mode- Changeable with music.
- **Nice lampshade-** Several good-looking choice of lampshades.
- Garantee- 2years.



Voltage: 220V Material: PMMA+Iron

Life time: 25000h Ra: ≥80 LED Chip: SMD2835 PF: >0.9



Ceiling Lights · CCT · DIM					
Item No.	Туре	Wattage	Lumen	Size	
Smart-CE2230C-36W2-WFC	Wifi	36W	2160lm	Ø400*90mm	
Smart-CE2230C-60W2-WFC	Wifi	60W	3600lm	Ø500*90mm	









 Voltage: 220V
 Material: PC+PC

 Life time: 25000h
 Ra: ≥80

 LED Chip: SMD2835
 PF: >0.9




Ceiling Lights · CCT · DIM				
Item No.	Туре	Wattage	Lumen	Size
Smart-CE2247C-24W2-WFC	Wifi	24W	1560lm	Ø320*60mm
Smart-CE2247C-36W2-WFC	Wifi	36W	2340lm	Ø400*60mm
Smart-CE2247C-45W2-WFC	Wifi	45W	2900lm	Ø480*60mm

CE NOHS ETP RED

www.yusinglight.com YUSING

Wifi

- CCT+DIM- You can change not only the color temperatue, but aslo the brightness and contrast steplessly and smoothly.
- Multi scene selection- The light can be characterized with 4 scenarios with different lighting modes, aslo can be allowed to DIY your favorite lighting style.
- Smart control- Works with Amazon Alexa, Google Home via your home WiFi to operate your device, you can control your light by hands-free.
- IP40 waterproof- IP40 anti-mosquito, shut mosquito out.
- Easy installation- Snap-in type which means easy installation by snap locking the two ends together.
- Quality- Comform to CE/ROHS and the new ERP2.0 standard, which make the light more energy-saving and more brighter.
- Music Mode- Changeable with music.
- Garantee- 2years.










- Convenient Voice Control Use Alexa or Google Assistant to control your lights easily. Power on/off, adjust brightness, or change colors to create the ambiance needed for your morning routine, parties, or movie nights.
- Multiple Control Options Easily operate your smart LED strip lights with APP or remote controller. The smart App gives you access to more colors, more scene modes, and a host of incredible features.
- · Bright and uniform light without spots
- · Low power- high light efficiency, high color rendering index (RA>80).
- Multil Applications- can be used for decorating your dining room, bed room, upstairs, kitchen, porch, desk, and living rooms, especially great for holidays and events like Christmas, Halloween, Parties, and more.



Voltage: 110V-220V Material: PVC Life time: 20000h Beam Angle: 120° LED Source: SMD2835/SMD5050 IP Rating: IP20

LED Light Strip · RGB				
ltem No.	Wattage	Power	Lumen	Dimension
Smart-LR412C-7.2WX2-IR-WF-RGB	12W	12V 1A	354±200lm	2m
Smart-LR412C-7.2WX2-IR-WF-RGB	18W	12V 1.5A	524±200lm	3m
Smart-LR412C-7.2WX2-IR-WF-RGB	18W	12V 1.5A	650±200lm	5m
LED Light Strip · CCT				
Item No.	Wattage	Power	Lumen	Dimension
Smart-LR412C-7.2WX2-IRC-WFC	12W	12V 1A	580±60lm	2m 🌆
Smart-LR412C-7.2WX2-IRR-WFC	12W	12V 1A	800±80lm	3m
Smart-LR412C-7.2WX2-IRR-WFC	18W	12V 1.5A	1100±110lm	5m
LED Light Strip · RGB+DIM				
Item No.	Wattage	Power	Lumen	Dimension
Smart-LR412C-7.2WX2-IR-WF-RGB-W	12W	12V 1A	575lm±60lm	2m 🌃
Smart-LR412C-7.2WX2-IR-WF-RGB-W	18W	12V 1.5A	827lm±80lm	3m
Smart-LR412C-7.2WX2-IR-WF-RGB-W	24W	12V 2A	1098lm±100lm	5m
LED Light Strip · RGB+CCT				
3 1	Wattage	Power	Lumen	Dimension
Item No.	Wattage 12W	Power 12V 1A	Lumen 540lm±50lm	Dimension 2m
LED Light Strip · RGB+CCT Item No. Smart-LR412C-7.2WX2-IRR-WFR Smart-LR412C-7.2WX2-IRR-WFR				





- With TUYA smart chips- you can easily tailor your lighting plan to suit the occasion and your mood.
- · Multi-installation methods ceiling, suspended mounting and suction cup installation.
- Emergency Function- Built-in backup battery provides more than 3 hours of emergency operation during a power outage.



Type: Wifi+Bluetooth Wattage: 40W Life time: 50000h


Ra: ≥80

Beam Angle: 120° PF: >0.9

			1	F	Н
+ H	1	-			

LED Fixtures · CCT				
Item No.	Material	Туре	Lumen	Size
Smart-LU225-40W2-WFC	iron+pc	Wifi	4000lm	1120*85*50mm







Voltage: 220-240V Material: PA Life time: 30000h Ra: ≥80

IP Rating: IP44-IP22 PF: >0.9



LED Downlights · CCT			
Item No.	Wattage	Lumen	Size
Smart-AL222C-6W2-WFC	6W	480lm	Ø95*57mm
Smart-AL222C-9W2-WFC	9W	720lm	Ø110*58mm





- · APP & Voice control- Control your smart lighting via your voice with Alexa, Google Assistant and so on. Free app allows you to control the smart downlight remotely on your smartphone, even switch your downlight to specific color temperatures as you need, make your life more convenient and
- **SMD imitates cob** which has more uniform heat dissipation and higher cost performance.
- Reflect cup design- make the light uniform without spots, and the angle is 60°.
- Quality Assurance- All plastic body, more safer. Built-in heat dissipation aluminum cup, excellent heat dissipation, can increase working life. CE, IC-4, SAA approved.











Voltage: 220-240V Material: PA Life time: 30000h Ra: ≥80 PF: >0.5

IP Rating: IP44-IP22



LED Downlights · RGB+CCT				
Item No.	Wattage	Lumen	Size	
Smart-AL221C-7W2-WFR	7W	700lm	Ø95*57mm	
Smart-AL221C-10W2-WFR	10W	1000lm	Ø110*58mm	
Smart-AL221C-15W2-WFR	15W	1500lm	Ø145*64mm	
Smart-AL221C-18W2-WFR	18W	1800lm	Ø175*67mm	
Smart-AL221C-24W2-WFR	24W	2400lm	Ø225*78mm	
LED Downlights · CCT				
Item No.	Wattage	Lumen	Size	
Smart-AL221C-7W2-WFC	7W	700lm	Ø95*57mm	
Smart-AL221C-10W2-WFC	10W	1000lm	Ø110*58mm	
Smart-AL221C-15W2-WFC	15W	1500lm	Ø145*64mm	
Smart-AL221C-18W2-WFC	18W	1800lm	Ø175*67mm	
Smart-AL221C-24W2-WFC	24W	2400lm	Ø225*78mm	



- · Can be easily controlled by APP for more occasions.
- PA housing- built-in heat dissipation aluminum cup, excellent heat dissipation.
- 7W~24W- 3 inches to 8 inches full range, to meet all the mainstream size needs of Europe and Australia.
- Easy Installation- equipped with 4 connecting terminal, double loop in and loop out, convenient to use the lamps in series.
- Quality Assurance CE, CB, IC-4, SAA, ROHS approved.







- CCT+dimmable
- 180 ° adjustable angle to illuminate the area you
- MODERN SIMPLE STYLE: designed with classic modern simple style, clean lines pair create a pleasing design, easily fit into any kind of home style. And the wall light is also a perfect ornament for porch, garage, courtyard, garden, street, hallway, restaurants, create a beautiful lighting outside your home.

WEATHER RESISTANT: meet IP65, adaptable to various weather conditions.

• Remote Control - you can control the wall light on/off with your phone via Smart App even if you are not near the light. Easily set schedule for your smart lights. You can create a group for all of your smart wall light and control them all with just one command.

- · Voice Control the smart wall light can be voice controlled via Echo Alexa and Google Home Assistant, you can command it to complete turn on/ off, dimming and changing color.
- Timing Function: The app can set the Smart wall light to turn on or off at a expected time, set scenes for every occasion.





Specifications

Voltage: 220-240V Material: Die-casting Aluminium; PC Lampshade (against UV)

CRI: ≥80 LED Chip: SMD2835

PF: ≥0.9 Color temperature: 2700-6500K IP Rating: IP65 Body Color: Black/Gray/White

LED Wall Lamp · CCT · DIM				
Item No.	Type	Wattage	Lumen	Size
Smart-WL231C-11W-3-WFC	Wifi	11W	800lm	223*130*105mm
Smart-WL231C-11W-3-BLC	Bluetooth	11W	800lm	223*130*105mm
















- CCT+dimmable
- MODERN SIMPLE STYLE: designed with classic modern simple style, clean lines pair create a pleasing design, easily fit into any kind of home style. And the wall light is also a perfect ornament for porch, garage, courtyard, garden, street, hallway, restaurants, create a beautiful lighting outside your home.

WEATHER RESISTANT: meet IP65, adaptable to various weather conditions.

- Remote Control you can control the wall light on/off with your phone via Smart App even if you are not near the light. Easily set schedule for your smart lights. You can create a group for all of your smart wall light and control them all with just one command.
- Voice Control the smart wall light can be voice controlled via Echo Alexa and Google Home Assistant, you can command it to complete turn on/off, dimming and changing color.
- Timing Function: The app can set the Smart wall light to turn on or off at a expected time, set scenes for every occasion.



Specifications

Voltage: 220-240V Material: Die-casting Aluminium; PC Lampshade (against UV)

CRI: ≥80 LED Chip: SMD2835

PF: ≥0.9 Color temperature: 2700-6500K IP Rating: IP65 Body Color: Black/Gray/White

LED Wall Lamp · CCT · DIM				
Item No.	Туре	Wattage	Lumen	Size
Smart-WL232C-11W-3-WFC	Wifi	11W	800im	270*100*58mm
Smart-WL232C-11W-3-BLC	Bluetooth	11W	800lm	270*100*58mm













- CCT+dimmable
- MODERN SIMPLE STYLE: designed with classic modern simple style, clean lines pair create a pleasing design, easily fit into any kind of home style. And the wall light is also a perfect ornament for porch, garage, courtyard, garden, street, hallway, restaurants, create a beautiful lighting outside your home.

WEATHER RESISTANT: meet IP65, adaptable to various weather

- Remote Control you can control the wall light on/off with your phone via Smart App even if you are not near the light. Easily set schedule for your smart lights. You can create a group for all of your smart wall light and control them all with just one
- Voice Control the smart wall light can be voice controlled via Echo Alexa and Google Home Assistant, you can command it to

Specifications

Voltage: 220-240V

CRI: ≥80

PF: ≥0.9 Body Color: Black/Gray/White IP Rating: IP65

LED Wall Lamp · CCT · DIM	LED Wall Lamp · CCT · DIM						
Item No.	Туре	Wattage	Lumen	Size			
Smart-WL233C-11W-3-WFC	Wifi	11W	800im	118*222*65.5mm			
Smart-WL233C-11W-3-BLC	Bluetooth	11W	800lm	118*222*65.5mm			







*Bluetooth® Mesh

- · RGB+CCT
- MODERN SIMPLE STYLE: designed with classic modern simple style, clean lines pair create a pleasing design, easily fit into any kind of home style. And the wall light is also a perfect ornament for porch, garage, courtyard, garden, street, hallway, restaurants, create a beautiful lighting outside your home.

WEATHER RESISTANT: meet IP54, adaptable to various weather conditions.

- Remote Control you can control the wall light on/off with your phone via Smart App even if you are not near the light. Easily set schedule for your smart lights. You can create a group for all of your smart wall light and control them all with just one command.
- Voice Control the smart wall light can be voice controlled via Echo Alexa and Google Home Assistant, you can command it to complete turn on/off, dimming and changing color.
- Timing Function: The app can set the Smart wall light to turn on or off at a expected time, set scenes for every occasion.





Specifications

Material: ABS: PC Voltage: 220-240V

Ra: ≥70 LED Chip; SMD2835/SMD2835+SMD3535

PF: ≥0.5 Color temperature: 2700-6500K

IP Rating: IP54 Body Color: Black



LED Wall Lamp · RGB · CCT					
	Item No.	Туре	Wattage	Size	
	Smart-WL234C-BLR	Bluetooth	12W	180*155*46mm	
	Smart-WL234C-BLR-WFR-WG	Wifi+Bluetooth	12W	180*155*46mm	

LED Wall Lamp · CCT					
Item No.	Туре	Wattage	Size		
Smart-WL234C-BLC	Bluetooth	12W	180*155*46mm		
Smart-WL234C-BLC-WFC-WG	Wifi+Bluetooth	12W	180*155*46mm		



LED Wall Lamp · RGE	LED Wall Lamp · RGB · CCT				
Item No.	Туре	Wattage	Size		
Smart-WL235C-BLR	Bluetooth	12W	180*155*46mm		
Smart-WL235C-BLR-WFR-WG	Wifi+Bluetooth	12W	180*155*46mm		

LED Wall Lamp · CCT					
Item No.	Туре	Wattage	Size		
Smart-WL235C-BLC	Bluetooth	12W	180*155*46mm		
Smart-WL235C-BLC-WFC-WG	Wifi+Bluetooth	12W	180*155*46mm		













- Bluetooth, RGB for more occasions
- LED solar spike light, rechargeable and adjustable solar wall lights/ In-Ground Lights, easy to install with no tools. Waterproof and Durable, withstand all kinds of weather all round the year.
- Fully Adjustable Light & Solar Panel Adjust the light angle to illuminate the perfect spot and adjust the solar panel angle for optimum sun exposure.
- 2 in 1 Functions Stick into the ground/ mount on the wall
- Unique solution in landscape and outdoor lighting, Powered by a lithium ion rechargeable battery that's solar powered.
- Automated Switch Auto on at night / Auto off at sunrise. Light up 8-10 hours after fully charged.



LED Chip: SMD5050Charging Time: 6-8 hrsColor temperature: RGB/WWorking Time: 8-10 hrsBattery: 18650 3.7V 1800mahMaterial: ABS+PCSolar Panel: 5.5V 1.5WIP Rating: IP54

LED Solar Spike Light · RGB						
Item No.	Туре	Wattage	Lumen	Size		
Smart-GL323L-7WX8-BLR	Bluetooth	7W	/	340*270*100mm		
Item No.	Туре	Wattage	Lumen	Size		
Smart-GL323L-7WX8-BLC	Bluetooth	7W	60lm	340*270*100mm		













- RGB+CCT
- Can be connected with your smartphone via Bluetooth, more easier to control.
- \bullet With PIR motion sensor, help you save more energy.
- High Quality garden light, excellent illumination, which is far brighter than other similar LED solar.
- Automatically turns on at dusk and turns off at dawn with the high quality Solar panel.
- Absorb and convert sunlight into electricity and stores in daytime
- Built-in rechargeable battery Light up for 10 hours after fully charged. Charging time: 6 hours.
- Wireless & IP54 waterproof design.
- Suitable for Front door, Back door, Outdoor patio, balcony railing, garage, driveway, path, fence, Garden, Porch, Shed, walkway

*Bluetooth Mesh

Specifications

LED Chip: SMD2835+SMD3535Charging Time: 6-8 hrsColor temperature: RGB/WWorking Time: 8-10 hrsBattery: 18650 3.7V 1800mahMaterial: ABS+PCSolar Panel: 5.5V 1.5WIP Rating: IP54

LED Solar Spike Light · RGB · CCT· PIR						
Item No.	Туре	Wattage	Lumen	Size		
Smatr-GL324L-7WX8-USB-PIR-BLR	Bluetooth	7W	/	Ø135*225mm		









*Bluetooth® Mesh


- Solar Powered Led Lights with 4 LED Heads : From lighting a pathway to illuminating your house number, great for your outdoor or landscaping needs. And because they're solar powered, they're safe, environmentally friendly, and highly cost effective!
- **Dusk-to-dawn Light**: Automatically turns on at dusk and off at dawn to save energy.
- Easy Installation: You don't need to be an electrician to achieve professional-quality results! Simply stick the unit's spike into the ground and you have a secure, tool-free installation.

Specifications

LED Chip: power LED Color temperature: RGB/W Battery: 18650 3.7V 1800mah Solar Panel: 5.5V 1.5W Charging Time: 6-8 hrs Working Time: 8-10 hrs Material: ABS+ die-casting Alu. IP Rating: IP54

LED Solar Spike Light · RGB						
Item No.	Туре	Wattage	Solar Panel size	Light Size		
Smart-GL325L-20WX8-BLR	Bluetooth	4*5W	120*120*180mm	Ø20*65mm		
LED Solar Spike Light · V	V					
Item No.	Type	Wattage	Solar Panel size	Light Size		
Smart-GL325L-20WX8-BLW	Bluetooth	4*5W	120*120*180mm	Ø20*65mm		







- Customize the light up your yard as you wish by APP.
- Good quality and durable: Flicker free, made of Alu and PC Lampshade that can against UV. • Waterproof rating is IP65, can withstand a variety of harsh weather conditions. It is ideal for lighting outdoor space.
- Contracted outdoor lawn lamp, soft and bright comfortable light. Give the outdoor courtyard a warm feeling. Let a person indulge in inside.



Voltage: 85-265Vac 50/60Hz Material: Alu + PC Lampshade (against UV) LED Type: SMD2835 14LEDs PF: >0.9 flicker free IP Rating: IP65 Color Temp: 2700K-6500K CRI: >80 Body Color: Black/Gray/White

LED Lawn Light · CCT · DIM					
Item No.	Туре	Wattage	Lumen	Size	
Smart-GL199C-7W3-BLC Smart-GL199C-7W3-WFC	Bluetooth Wifi	7W 7W	Max.500lm Max.500lm	90*140*600mm 90*140*600mm	
LED Lawn Light · CCT · D	IM				
Item No.	Туре	Wattage	Lumen	Size	
Smart-GL199C-7W3-BLC Smart-GL199C-7W3-WFC	Bluetooth Wifi	7W 7W	Max.500lm Max.500lm	90*140*800mm 90*140*800mm	
LED Lawn Light · CCT · D	IM				
Item No.	Туре	Wattage	Lumen	Size	
Smart-GL199C-7W3-BLC Smart-GL199C-7W3-WFC	Bluetooth Wifi	7W 7W	Max.500lm Max.500lm	90*140*1000mm 90*140*1000mm	









Voltage: 220-240V Life time: 30000h

LED Chip: SMD2835+SMD5050

Waterproof: IP65

Material: Alu.+Glass

Ra: ≥80 Angle: 110°



LED Fooldlight · RGBW · DIM				
Item No.	Type	Wattage	Lumen	Size
Smart-LG189C-15W2-WF-RGB-W Smart-LG189C-15W2-BLR-W Smart-LG189C-3X15W2-BLR-W	Wifi Bluetooth Bluetooth	15W 15W 3*15W	1250im 1250lm 3*1250lm	176*136*25.5mm 176*136*25.5mm 176*136*25.5mm
LED Fooldlight · RGB · CCT · DIM				
Item No.	Туре	Wattage	Lumen	Size
Smart-LG189C-15W2-WFR Smart-LG189C-30W2-WFR Smart-LG189C-50W2-WFR	Wifi Wifi Wifi	15W 30W 50W	1250lm 2550lm 4250lm	176*136*25.5mm 210*162*28mm 255*198*36mm
LED Fooldlight · DIM				
Item No.	Type	Wattage	Lumen	Size
Smart-LG189C-15W2-WF-W	Wifi	15W	1250lm	176*136*25.5mm





Bluetooth° Wi (E)

- Support Voice/ App/Group Control- Work with Amazon Alexa(Echo/Dot/Tap) and Google Assistant. Compatible with Android & iOS. What's more, you can group lights and control them with a simple tap on App and a voice command.
- Timer & Dimming- Set schedules to automatically turn on and off the light as routines. Adjust the brightness from 0-100% to fit for different lighting occasions. Memory function is available. Last settings will be saved for a quick access next time, to make daily life much more convenient.
- · Color Change Sync to Music & Multiple Modes- The smart flood light can change colors according to rhythm of music melody. It have 16 million colors and 20 modes to choose. Perfect for festival decorative.
- Easy Operation & Connect- Connect is pretty easy and takes only a few minutes with the help of the detailed guide on manual. You only need to enter the app, the floodlights quickly connected to your phone and controlled by your phone, Up to IP65, so in winter or rainy days, you can also use it and you also don't have to go out to control these outdoor led lights.







• SENS: Adjust the sensitivity of the sensor of the human body. Detection distance: up to 8 meters.

TIME: Set the light duration from 12 seconds to 420 seconds. " + " for 7 min, " - " for 12s.

LUX: Switch to "SUN" the sensor works 24 hours a day; to "MOON", the sensor only works at night.

• Easy Operation & Connect- Connect is pretty easy and takes only a few minutes with the help of the detailed guide on manual. You only need to enter the app, the floodlights quickly connected to your phone and controlled by your phone.





Color temperature conversion









Specifications

Voltage: 220-240V Material: Alu.+Glass

Life time: 30000h Ra: ≥80 LED Chip: SMD2835 Angle: 110°

Waterproof: IP44

LED Fooldlight · CCT · DIM · PIR					
Item No.	Type	Wattage	Lumen	Size	
Smart-LG189C-15W2-WF-IRC Smart-LG189C-30W2-WF-IRC Smart-LG189C-50W2-WF-IRC	Wifi Wifi Wifi	15W 30W 50W	1250lm 2550lm 4250lm	133*180*46mm 136*108*46mm 210*162*48mm	







www.yusinglight.com

YUSING

Ningbo Yusing Lighting Co,Ltd

NO.1199Mingguang Road,Jiangshan Town,Yingzhou,Ningbo China TEL:0574-83028340 Fax:0574-88364726 E-mail:sales79@yusinglighting.com